

L Number	Hits	Search Text	DB	Time stamp
-	2	20010013078.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:10
-	698561	(transmi\$7 or tx\$2) with (receiv\$7 or rx\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:39
-	126666	capacit\$7 near6 (line\$1 or path\$1 or bus or busses or buses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:45
-	28558	(capacit\$7 near6 (line\$1 or path\$1 or bus or busses or buses)) with (stor\$3 or buffer\$3 or memory or latch\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:47
-	395	((transmi\$7 or tx\$2) with (receiv\$7 or rx\$2)) same ((capacit\$7 near6 (line\$1 or path\$1 or bus or busses or buses)) with (stor\$3 or buffer\$3 or memory or latch\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:41
-	377	((transmi\$7 or tx\$2) with (receiv\$7 or rx\$2)) same (((capacit\$7 near6 (line\$1 or path\$1 or bus or busses or buses)) with (stor\$3 or buffer\$3 or memory or latch\$3))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @ptld<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:48
-	897	((capacit\$7 near6 (line\$1 or path\$1 or bus or busses or buses)) with (stor\$3 or buffer\$3 or memory or latch\$3)) with (instead or stead or place or lieu or substitu\$5 or replac\$7 or eliminat\$5 or obviat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:47
-	3	((transmi\$7 or tx\$2) with (receiv\$7 or rx\$2)) same (((capacit\$7 near6 (line\$1 or path\$1 or bus or busses or buses)) with (stor\$3 or buffer\$3 or memory or latch\$3)) with (instead or stead or place or lieu or substitu\$5 or replac\$7 or eliminat\$5 or obviat\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:45
-	38851	(capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 13:09
-	7808	((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses)) with (stor\$3 or buffer\$3 or memory or latch\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:55

-	238	((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses)) with (stor\$3 or buffer\$3 or memory or latch\$3)) with (instead or stead or place or lieu or substitut\$5 or replac\$7 or eliminat\$5 or obviat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:56
-	220	((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses)) with (stor\$3 or buffer\$3 or memory or latch\$3)) with (instead or stead or place or lieu or substitut\$5 or replac\$7 or eliminat\$5 or obviat\$5)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 11:51
-	5849	((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses)) with (advantag\$5 or use\$7 or using or benefi\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:55
-	958	((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses)) with (advantag\$5 or use\$7 or using or benefi\$5)) with (stor\$3 or buffer\$3 or memory or latch\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:56
-	7	((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses)) with (advantag\$5 or use\$7 or using or benefi\$5)) with (stor\$3 or buffer\$3 or memory or latch\$3)) with (instead or stead or place or lieu or substitut\$5 or replac\$7 or eliminat\$5 or obviat\$5)) not (((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses)) with (stor\$3 or buffer\$3 or memory or latch\$3)) with (instead or stead or place or lieu or substitut\$5 or replac\$7 or eliminat\$5 or obviat\$5)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:56
-	0	((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses)) with (advantag\$5 or use\$7 or using or benefi\$5)) with (stor\$3 or buffer\$3 or memory or latch\$3)) with (instead or stead or place or lieu or substitut\$5 or replac\$7 or eliminat\$5 or obviat\$5)) not (((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses)) with (stor\$3 or buffer\$3 or memory or latch\$3)) with (instead or stead or place or lieu or substitut\$5 or replac\$7 or eliminat\$5 or obviat\$5)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 13:07
-	6	(US-4956564-\$ or US-4961002-\$ or US-5028810-\$ or US-5757008-\$ or US-4537471-\$ or US-4567561-\$).did.	USPAT	2004/02/04 12:20

-	51	(((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses)) with (advantag\$5 or use\$7 or using or benefi\$5)) with (stor\$3 or buffer\$3 or memory or latch\$3)) with (instead or stead or place or lieu or substitu\$5 or replac\$7 or eliminat\$5 or obviat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:31
-	2	4567561.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:37
-	4	("3938094" "4045684" "4075606" "4144589").PN.	USPAT	2004/02/04 12:32
-	2	((("3938094" "4045684" "4075606" "4144589").PN.) and (capacit?nce\$1 or capacitiv47)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:38
-	2	((("3938094" "4045684" "4075606" "4144589").PN.) and (capacit?nce\$1 or capacitiv\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:40
-	3	4567561.URPN.	USPAT	2004/02/04 12:40
-	0	4567561.URPN. and (capacit?nce\$1 or capacitiv\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:59
-	313	myers-paul\$.xa,xp.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:41
-	17	myers-paul\$.xa,xp. and capacit?nce\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:43
-	3408	inherent\$2 near4 capacit?nce\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:43
-	354	(inherent\$2 near4 capacit?nce\$1) and propagation\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:44
-	116	((inherent\$2 near4 capacit?nce\$1) and propagation\$1) and bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:47

-	125	(inherent\$2 near4 capacit?nce\$1) same bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:47
-	27	((inherent\$2 near4 capacit?nce\$1) same bus) and propagation\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:47
-	1617238	(maint\$7 or retain\$5 or preserv\$5 or keep\$5 or hold\$5 or held or stor\$5 or latch\$5) near6 (voltage\$1 or volt\$1 or data or value\$1 or charge\$1 or potential\$1 or signal\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 13:03
-	22614	((maint\$7 or retain\$5 or preserv\$5 or keep\$5 or hold\$5 or held or stor\$5 or latch\$5) near6 (voltage\$1 or volt\$1 or data or value\$1 or charge\$1 or potential\$1 or signal\$1)) with (capacit?nce\$1 or capacitiv\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 13:04
-	4521	((((maint\$7 or retain\$5 or preserv\$5 or keep\$5 or hold\$5 or held or stor\$5 or latch\$5) near6 (voltage\$1 or volt\$1 or data or value\$1 or charge\$1 or potential\$1 or signal\$1)) with (capacit?nce\$1 or capacitiv\$5)) with (line or lines or bus or busses or buses or path\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 13:04
-	4040	(((((maint\$7 or retain\$5 or preserv\$5 or keep\$5 or hold\$5 or held or stor\$5 or latch\$5) near6 (voltage\$1 or volt\$1 or data or value\$1 or charge\$1 or potential\$1 or signal\$1)) with (capacit?nce\$1 or capacitiv\$5)) with (line or lines or bus or busses or buses or path\$1)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:00
-	3333	(((((maint\$7 or retain\$5 or preserv\$5 or keep\$5 or hold\$5 or held or stor\$5 or latch\$5) near6 (voltage\$1 or volt\$1 or data or value\$1 or charge\$1 or potential\$1 or signal\$1)) with (capacit?nce\$1 or capacitiv\$5)) with (line or lines or bus or busses or buses or path\$1)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) and ((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 13:15
-	437	((((((maint\$7 or retain\$5 or preserv\$5 or keep\$5 or hold\$5 or held or stor\$5 or latch\$5) near6 (voltage\$1 or volt\$1 or data or value\$1 or charge\$1 or potential\$1 or signal\$1)) with (capacit?nce\$1 or capacitiv\$5)) with (line or lines or bus or busses or buses or path\$1)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) and ((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses))) and ((transmi\$7 or tx\$2) with (receiv\$7 or rx\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13:31

-	22818	(transmitter\$1 or tx\$2) near6 (control?r\$1 or (control adj3 (unit\$1 or section\$1 or module\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:01
-	32663	(receiver\$1 or rx\$2) near6 (control?r\$1 or (control adj3 (unit\$1 or section\$1 or module\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13:59
-	8154	((transmitter\$1 or tx\$2) near6 (control?r\$1 or (control adj3 (unit\$1 or section\$1 or module\$1)))) with ((receiver\$1 or rx\$2) near6 (control?r\$1 or (control adj3 (unit\$1 or section\$1 or module\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13:34
-	2407	((transmitter\$1 or tx\$2) near6 (control?r\$1 or (control adj3 (unit\$1 or section\$1 or module\$1)))) with ((receiver\$1 or rx\$2) near6 (control?r\$1 or (control adj3 (unit\$1 or section\$1 or module\$1)))) and (ic or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13:36
-	2417	((transmitter\$1 or tx\$2) near6 (control?r\$1 or (control adj3 (unit\$1 or section\$1 or module\$1)))) with ((receiver\$1 or rx\$2) near6 (control?r\$1 or (control adj3 (unit\$1 or section\$1 or module\$1)))) and (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:01
-	115212	(own or each or respective\$2 or correspond\$5 or associat\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:10
-	1858	((own or each or respective\$2 or correspond\$5 or associat\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with (transmitter\$1 or tx\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13:59
-	857	((own or each or respective\$2 or correspond\$5 or associat\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with (transmitter\$1 or tx\$2)) with (receiver\$1 or rx\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13:59
-	278	((own or each or respective\$2 or correspond\$5 or associat\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with (transmitter\$1 or tx\$2)) with (receiver\$1 or rx\$2)) and (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:00

-	255	(((own or each or respective\$2 or correspond\$5 or associat\$5) near6 (controll?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with (transmitter\$1 or tx\$2)) with (receiver\$1 or rx\$2)) and (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:02
-	176037	(transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:09
-	5466	((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:14
-	46	(((own or each or respective\$2 or correspond\$5 or associat\$5) near6 (controll?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with (transmitter\$1 or tx\$2)) with (receiver\$1 or rx\$2)) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:10
-	39	(((own or each or respective\$2 or correspond\$5 or associat\$5) near6 (controll?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with (transmitter\$1 or tx\$2)) with (receiver\$1 or rx\$2)) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:11
-	19553	((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (controll?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 11:40
-	958	(((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (controll?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 11:46
-	657	(((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (controll?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) same (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:11

-	836	(((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconductor\$5 or semi adj2 conduct\$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:12
-	501	((((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconductor\$5 or semi adj2 conduct\$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) and 3??clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:14
-	477	((((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconductor\$5 or semi adj2 conduct\$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) and 3??clas.) not (((own or each or respective\$2 or correspond\$5 or associat\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with (transmitter\$1 or tx\$2)) with (receiver\$1 or rx\$2)) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconductor\$5 or semi adj2 conduct\$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:14
-	1145608	(ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconductor\$5 or semi adj2 conduct\$5).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:14

-	101	(((((((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1))))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconductor\$5 or semi adj2 conduct\$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) and 3??clas.) not (((own or each or respective\$2 or correspond\$5 or associat\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1))))) with (transmitter\$1 or tx\$2)) with (receiver\$1 or rx\$2)) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconductor\$5 or semi adj2 conduct\$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220))) and ((ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconductor\$5 or semi adj2 conduct\$5).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 11:40
-	19553	((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:40
-	2078	(((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with ((first with second) or (two or dual))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 11:46
-	5466	((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconductor\$5 or semi adj2 conduct\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:47
-	133	((((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with ((first with second) or (two or dual))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconductor\$5 or semi adj2 conduct\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 11:49
-	28164	two with instead with one	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 11:49

-	1	((((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with ((first with second) or (two or dual))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconductor\$5 or semi adj2 conduct\$5))) and (two with instead with one)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 11:50
-	82741	two near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:10
-	70	((((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with ((first with second) or (two or dual))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconductor\$5 or semi adj2 conduct\$5))) and (two near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 11:51
-	60	((((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with ((first with second) or (two or dual))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconductor\$5 or semi adj2 conduct\$5))) and (two near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:14
-	68213	(divi\$7 or split\$5 or separa\$5 or partition\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:17
-	396	((divi\$7 or split\$5 or separa\$5 or partition\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconductor\$5 or semi adj2 conduct\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:13
-	9859	((divi\$7 or split\$5 or separa\$5 or partition\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with (two or (first with second))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:13

-	52	(((divi\$7 or split\$5 or separa\$5 or partition\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with (two or (first with second))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:13
-	48	(((divi\$7 or split\$5 or separa\$5 or partition\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with (two or (first with second))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:19
-	26	((((divi\$7 or split\$5 or separa\$5 or partition\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with (two or (first with second))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) not ((((((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with ((first with second) or (two or dual))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5))) and (two near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:14
-	27620	(receiver\$1 or rx\$2) near4 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:21
-	19346	(transmitter\$1 or tx\$2) near4 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:21
-	5472	((receiver\$1 or rx\$2) near4 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with ((transmitter\$1 or tx\$2) near4 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:18

-	327	(((receiver\$1 or rx\$2) near4 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with (((transmitter\$1 or tx\$2) near4 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:19
-	179	(((receiver\$1 or rx\$2) near4 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with (((transmitter\$1 or tx\$2) near4 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) same (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:19
-	157	(((receiver\$1 or rx\$2) near4 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with (((transmitter\$1 or tx\$2) near4 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) same (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:23

-	151	<p>((((receiver\$1 or rx\$2) near4 (controll?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with ((transmitter\$1 or tx\$2) near4 (controll?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) same (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) not ((((((divi\$7 or split\$5 or separa\$5 or partition\$5) near6 (controll?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with (two or (first with second))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) not ((((((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (controll?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with ((first with second) or (two or dual))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5))) and (two near6 (controll?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220))) or ((((((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (controll?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with ((first with second) or (two or dual))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5))) and (two near6 (controll?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/02/06 12:20</p>
-	14317	<p>(receiver\$1 or rx\$2) near2 (controll?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/02/06 12:22</p>
-	9635	<p>(transmitter\$1 or tx\$2) near2 (controll?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/02/06 12:22</p>

-	1518	((receiver\$1 or rx\$2) near2 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with (((transmitter\$1 or tx\$2) near2 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:22
-	30	(((receiver\$1 or rx\$2) near2 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with (((transmitter\$1 or tx\$2) near2 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) same (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:22
-	18	(((receiver\$1 or rx\$2) near2 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with (((transmitter\$1 or tx\$2) near2 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) same (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:43
-	186434	((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:42
-	182176	(own or distinct\$7 or associat\$5 or correspond\$5 or respectiv\$5 or individual\$5 or separa\$5 or independen\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:42
-	1284	(((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2))) with ((own or distinct\$7 or associat\$5 or correspond\$5 or respectiv\$5 or individual\$5 or separa\$5 or independen\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:42
-	26871	((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:42
-	518	(((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2))) with ((own or distinct\$7 or associat\$5 or correspond\$5 or respectiv\$5 or individual\$5 or separa\$5 or independen\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) and (((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2)).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:43

-	461	((((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2))) with ((own or distinct\$7 or associat\$5 or correspond\$5 or respectiv\$5 or individual\$5 or separa\$5 or independen\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) and (((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2)).clm.)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:46
-	68	((((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2))) with ((own or distinct\$7 or associat\$5 or correspond\$5 or respectiv\$5 or individual\$5 or separa\$5 or independen\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:44
-	25538	(two with instead with one) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:45
-	58	((((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2))) with ((own or distinct\$7 or associat\$5 or correspond\$5 or respectiv\$5 or individual\$5 or separa\$5 or independen\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) and (((transmitter\$1 or tx\$2) with (receiver\$1 or rx\$2)) with (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:46
-	3053240	(transfer\$5 or communica\$5 or transmi\$5).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:46
-	376	((((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2))) with ((own or distinct\$7 or associat\$5 or correspond\$5 or respectiv\$5 or individual\$5 or separa\$5 or independen\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) and (((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2)).clm.)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220) and ((transfer\$5 or communica\$5 or transmi\$5).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:46

-	376	(((((((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2))) with ((own or distinct\$7 or associat\$5 or correspond\$5 or respectiv\$5 or individual\$5 or separa\$5 or independen\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))))) and (((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2)).clm.)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) and ((transfer\$5 or communica\$5 or transmi\$5).ab.)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:56
-	137	(((((((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2))) with ((own or distinct\$7 or associat\$5 or correspond\$5 or respectiv\$5 or individual\$5 or separa\$5 or independen\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))))) and (((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2)).clm.)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) and ((transfer\$5 or communica\$5 or transmi\$5).ab.)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) and (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:49
-	103	(((((((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2))) with ((own or distinct\$7 or associat\$5 or correspond\$5 or respectiv\$5 or individual\$5 or separa\$5 or independen\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))))) and (((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2)).clm.)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) and ((transfer\$5 or communica\$5 or transmi\$5).ab.)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) and (ic or ics or chip\$5 or integrated adj2 circuit\$2 or semiconduct\$5 or semi adj2 conduct\$5)) and 3??clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:55
-	176	(((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2))) with ((own or distinct\$7 or associat\$5 or correspond\$5 or respectiv\$5 or individual\$5 or separa\$5 or independen\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))) with (line or lines or bus or busses or buses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:56

-	129	((((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2))) with ((own or distinct\$7 or associat\$5 or correspond\$5 or respectiv\$5 or individual\$5 or separa\$5 or independen\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))))) with (line or lines or bus or busses or buses)) and ((transfer\$5 or communica\$5 or transmi\$5).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:56
-	119	((((transmitter\$1 or tx\$2 or driver\$1) with (receiver\$1 or rx\$2))) with ((own or distinct\$7 or associat\$5 or correspond\$5 or respectiv\$5 or individual\$5 or separa\$5 or independen\$5) near6 (control?r\$1 or (control adj3 (unit\$1 or module\$1 or device\$1 or section\$1 or agent\$1)))))) with (line or lines or bus or busses or buses)) and ((transfer\$5 or communica\$5 or transmi\$5).ab.)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:56
-	4	(US-5675642-\$ or US-6378011-\$ or US-5293378-\$ or US-5345113-\$).did.	USPAT	2004/02/06 15:11